



Description

CS 3041 is formed in an ultra slimline design offering minimal visual impact. Easy installation can be achieved with either the supplied 'L' shaped wall brackets or the optional AC WM-CS swivel bracket, which allows the installer to angle the speaker to suit. The new CS Slimline Columns have been optimised for speech reproduction using extended range 2 inch speakers and 1 inch tweeters.

Features

- > Ideal for speech reproduction, shape designed to enable corner installation
- > Music power/RMS: 30/15W
- > Four 50 mm (2") diameter extended range speakers and one tweeter 25 mm (1")
- > Body in extruded aluminium bake-painted RAL 9016 White and front metal grille RAL9016 White, includes accessory for wall mounting
- > Built-in multi-tapped transformer (20 15 10 W) for 100 V constant voltage connection
- > 16 Ohm input that can be selected on the terminal block
- > Audio connection on screw terminal block


Part Number

13000231 CS 3041

White - RAL 9016 EAN 8024530006853



Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications

Standard compliance

Frequency Response (-10dB) 200 Hz ÷ 18000 Hz 102 dB

Max SPL @ 1m Horizontal coverage angle

180° 70° Vertical coverage angle System Sensitivity 89 dB

Power section Nominal Impedance 16 ohm Power Handling 20 W

> Peak Power Handling 80 W PEAK

Transducers 1 x 1.0" Dome Tweeter 4 x 2.0" Woofer

Input/Output section Input connectors Screw Terminals

Output connectors Screw Terminals

Constant Voltage Transformer 100 V 20 W - 500 ohm Power selection 1

Power selection 2 15 W - 667 ohm Power selection 3 10 W - 1000 ohm Safety agency CE compliant

Physical specifications Cabinet/Case Material Aluminum Hardware Wall mount bracket

Grille

Steel Color White - RAL 9016

Size / Weight 430 mm / 16.93 inches Height Width 78 mm / 3.07 inches

66 mm / 2.6 inches Depth Weight 1.71 kg / 3.77 lbs

ACCESSORIES

SWIVEL WALL MOUNT BRACKETS Rigging / Mounting

13360206 AC WM CS White - RAL 9016 EAN 8024530007614

Technical Specifications Page 2 of 2