



SUB 8003-AS II

ACTIVE SUBWOOFER



Description

The SUB 8003-AS II active subwoofer features the latest generation of RCF woofer technology, digital amplifiers and DSP processing with higher power and enhanced performance. It offers the perfect blend of bass reproduction, high SPL and compact dimensions for mobile use by bands and DJs.

Features

- › 2200 W
- › 135 dB max SPL
- › 35 Hz - 120 Hz frequency response
- › 18" Woofer, 4.0" v.c.
- › Selectable gain, X-over and delay
- › Birch tour grade cabinet
- › Stereo XLR input, Stereo XLR signal output

Part Number

13000432 SUB 8003-AS II
13000433 SUB 8003-AS II

220-240 V
115 V

Black
Black


EAN 8024530014513
EAN 8024530014452



SUB 8003-AS II

ACTIVE SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	35 Hz ÷ 120 Hz
	Max SPL @ 1m	135 dB
Transducers	Woofer	18", 4.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Crossover Frequencies	Selectable
	Protections	Thermal, RMS
	Controls	Gain, EQ, Phase, Xover, Delay, Cardioid
Power section	Total Power	2200 W Peak, 1100 W RMS
	Low frequencies	2200 W Peak, 1100 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Handles	2 side
	Pole mount/Cap	M20 thread
	Grille	Steel
	Color	Black
Size / Weight	Height	694 mm / 27.32 inches
	Width	523 mm / 20.59 inches
	Depth	700 mm / 27.56 inches
	Weight	42 kg / 92.59 lbs

ACCESSORIES

Rigging / Mounting

PLATES		
13360066 M20 PLATE	Black	EAN 8024530020156
POLE MOUNT KITS		
13360034 AC PMA		EAN 8024530007713



SUB 8003-AS II

ACTIVE SUBWOOFER

Rigging / Mounting	13360110 AC PRO-PM	Black	EAN 8024530006488
Protections	COVERS		
	13360378 CVR SUB 8003 II	Black	EAN 8024530014575
Transportation	WHEELS		
	13360238 WH PRO 4X		EAN 8024530018320
Cables	CABLES KIT		
	13360102 AC XLR 3M3F		EAN 8024530006402